









POLY BASINS, COVERS & ACCESSORIES

Polyethylene and Structural Foam Basin & Cover Packages

DESCRIPTION		PART No.*
SINK TRAY SYSTEMS		
 12" x 14" x 16" Rectangular Sump Box system Perfect for larger capacity needs of commercial applications such as restaurants, cocktail lounges and other related areas. Includes vent and discharge "ringer" grommets. (11 U.S. Gallon Capacity)	With 1½" FPT Inlet	B1000
	<hr/>	
 13" x 13" Sink Tray System Designed for laundry trays, wet bars, dehumidifiers, water softeners, and capturing air conditioner condensation. Includes a 1½" threaded "spin-weld" vent and a 1½" "spin-weld" discharge sleeve. (7 U.S. Gallon Capacity)	"Li'L Blue"	B11SP
	"Li'L Black"	B11SPB
 13" x 13" Recessed Rolled Top Sink Tray System The Recessed Roll Top provides a neat and clean appearance for under the bar or in the open. Includes standard 1½" vent and discharge "ringer" grommets. (7 U.S. Gallon Capacity)	"Li'L Blue"	B11SPRRT
	"Li'L Black"	B11SPBRRT
ECONOMY BASINS		
 14" x 24" Poly Basin Designed for the long-term reliability with extreme economy in mind. (15 U.S. Gallon Capacity)	Basin only	B1400
	Single Hole Poly Cover	C14WPE
 18" x 22" Poly Basin Exceptionally high impact-resistant with a variety of cover options. (22 U.S. Gallon Capacity)	Basin only	B2200
	w/4" Inlet Grommet	B22001
	w/4" Inlet Grommet Hub	B22002
	w/4" Composite Inlet Hub	B22003
	Poly Economy Slotted Cover	C18LPN
	Poly Bolt-Down Slotted Cover †	C18LP
	Solid Poly Cover †	C18WP
	2½" Single Hole Poly Cover †	C18WPE
	14g Solid Steel Cover †	C18WSL
	14g 2½" Single Hole Steel Cover †	C18WSE
	Simplex Poly Cover *	C18SP
	14g Simplex Steel Cover *	C18SS
	2-Piece Simplex Steel Cover *	C18TS
 18" x 24" Poly Basin Manufactured using the highest grade of polyethylene resin to assure years of trouble-free performance. (24 U.S. Gallon Capacity)	Basin Only	B1824
	w/4" Inlet Grommet	B18241
	w/4" Inlet Grommet Hub	B18242
	w/4" Composite Inlet Hub	B18243
	Poly Economy Slotted Cover	C18LPN
	Poly Bolt-Down Slotted Cover †	C18LP
	Solid Poly Cover †	C18WP
	2½" Single Hole Poly Cover †	C18WPE
	14g Solid Steel Cover †	C18WSL
	14g 2½" Single Hole Steel Cover †	C18WSE
	Simplex Poly Cover *	C18SP
	14g Simplex Steel Cover *	C18SS

* Call Topp for pricing: 800-354-4534








† Includes hardware pack (bolts, washers & gasket tape)

* Includes hardware pack, discharge, vent & ECG



POLY BASINS, COVERS & ACCESSORIES

Polyethylene and Structural Foam Basin & Cover Packages

DESCRIPTION		PART No.*
ECONOMY BASINS		
 <p>18" x 30" Poly Basin Designed for new construction and retrofit applications. (30 U.S. Gallon Capacity)</p>	Basin only	B2400
	w/4" Inlet Grommet	B24001
	w/4" Inlet Grommet Hub	B24002
	w/4" Composite Inlet Hub	B24003
	Simplex Poly Cover *	C18SP
	14g Simplex Steel Cover *	C18SS
	2-Piece 14g Simplex Steel Cover *	C18TS
 <p>24" x 24" Poly Basin Offers years of trouble free performance. (43 U.S. Gallon Capacity)</p>	Basin only	B3100
	w/4" Inlet Grommet	B31001
	w/4" Inlet Grommet Hub	B31002
	w/4" Composite Inlet Hub	B31003
	14g Simplex Steel Cover *	C24SSL
	12g Simplex Steel Cover (1) Pump Access Plate *	C24-12SSA
	 <p>24" x 30" Poly Basin Using the highest grade of polyethylene for long-term reliability. (54 U.S. Gallon Capacity)</p>	Basin only
w/4" Inlet Grommet		B33001
w/4" Inlet Grommet Hub		B33002
w/4" Composite Inlet Hub		B33003
14g Simplex Steel Cover *		C24SSL
12g Simplex Steel Cover (1) Pump Access Plate *		C24-12SSA
 <p>24" x 36" Poly Basin Exceptionally high-impact resistant with an increased gallon capacity. (65 U.S. Gallon Capacity)</p>		Basin only
	w/4" Inlet Grommet	B32001
	w/4" Inlet Grommet Hub	B32002
	w/4" Composite Inlet Hub	B32003
	14g Simplex Steel Cover *	C24SSL
	12g Simplex Steel Cover (1) Pump Access Plate *	C24-12SSA
	SIDE VENT BASINS	
 <p>18" x 22" Side-Vent Poly Basin Side-Vent design was developed with one issue in mind, that of ease of maintenance. (22 U.S. Gallon Capacity) 2" or 3" vent.</p>	Basin only	B2200SV
	w/4" Inlet Grommet	B22001SV
	w/4" Inlet Grommet Hub	B22002SV
	w/4" Composite Inlet Hub	B22003SV
	Simplex Poly Cover *	C18SPSV
	14g Simplex Steel Cover *	C18SSSV
	 <p>18" x 30" Side-Vent Poly Basin Due to the vent pipe remaining intact, gone are the days of cutting and then repairing the vent pipe for achieving regular pump maintenance. (30 U.S. Gallon Capacity) 2" or 3" vent.</p>	Basin only
w/4" Inlet Grommet		B24001SV
w/4" Inlet Grommet Hub		B24002SV
w/4" Composite Inlet Hub		B24003SV
Simplex Poly Cover *		C18SPSV
14g Simplex Steel Cover *		C18SSSV
 <p>23" x 31" Side-Vent Poly Basin 50% more volume than the industry standard 18" x 30" basin. (65 U.S. Gallon Capacity) 2" or 3" vent.</p>		Basin only
	w/4" Inlet Grommet	B27001SV
	w/4" Inlet Grommet Hub	B27002SV
	w/4" Composite Inlet Hub	B27003SV
	14g Simplex Steel Cover *	C27SSSV

* Call Topp for pricing: 800-354-4534



† Includes hardware pack (bolts, washers & gasket tape)

* Includes hardware pack, discharge, vent & ECG



POLY BASINS, COVERS & ACCESSORIES

Polyethylene and Structural Foam Basin & Cover Packages

DESCRIPTION		PART No.*
ROLLED TOP BASINS		
 <p>18" x 30" Rolled Top Poly Basin <i> Rolled top design dramatically reduces service time for pump maintenance. (30 U.S. Gallon Capacity)</i></p>	Basin only	B2400RT
	w/4" Inlet Grommet	B24001RT
	w/4" Inlet Grommet Hub	B24002RT
	w/4" Composite Inlet Hub	B24003RT
	Simplex Poly Cover *	C18SP
	14g Simplex Steel Cover *	C18SS
 <p>30" x 36" Rolled Top Poly Basin <i> Extra-high roll top helps prevent debris from entering basin during installation. (103 U.S. Gallon Capacity)</i></p>	Basin only	B4100RT
	w/4" Inlet Grommet	B41001RT
	w/4" Inlet Grommet Hub	B41002RT
	w/4" Composite Inlet Hub	B41003RT
	12g Simplex Steel Cover (1) Pump Access Plate *	C30-12SSA
	12g Duplex Steel Cover (2) Pump Access Plates *	C30-12DSA
 <p>36" x 36" Rolled Top Poly Basin <i> Designed for simplex and duplex applications. (154 U.S. Gallon Capacity)</i></p>	Basin only	B5100RT
	w/4" Inlet Grommet	B51001RT
	w/4" Inlet Grommet Hub	B51002RT
	w/4" Composite Inlet Hub	B51003RT
	12g Simplex Steel Cover (1) Pump Access Plate *	C36-12SSA
	12g Duplex Steel Cover (2) Pump Access Plates *	C36-12DSA
RECESSED ROLLED TOP BASINS		
 <p>18" x 22" Recessed Rolled Top Basin <i> Design features include encapsulated threaded cover bolt inserts and a recessed rolled top preventing debris from entering basin during installation. (22 U.S. Gallon Capacity)</i></p>	Basin only	B2200RRT
	w/4" Inlet Grommet	B22001RRT
	w/4" Inlet Grommet Hub	B22002RRT
	w/4" Composite Inlet Hub	B22003RRT
	Solid Poly Cover †	C18WP
	14g Solid Steel Cover †	C18WSL
	Simplex Poly Cover *	C18SP
	14g Simplex Steel Cover *	C18SS
	2-Piece 14g Simplex Steel Cover *	C18TS
 <p>18" x 24" Recessed Rolled Top Basin <i> The recessed rolled top allows covers to fit flush. (24 U.S. Gallon Capacity)</i></p>	Basin only	B1824RRT
	w/4" Inlet Grommet	B18241RRT
	w/4" Inlet Grommet Hub	B18242RRT
	w/4" Composite Inlet Hub	B18243RRT
	Solid Poly Cover †	C18WP
	14g Solid Steel Cover †	C18WSL
	Simplex Poly Cover *	C18SP
	14g Simplex Steel Cover *	C18SS
	2-Piece 14g Simplex Steel Cover *	C18TS
 <p>18" x 30" Recessed Rolled Top Basin <i> Our most popular recessed rolled top basin offering years of trouble-free performance. (30 U.S. Gallon Capacity)</i></p>	Basin only	B2400RRT
	w/4" Inlet Grommet	B24001RRT
	w/4" Inlet Grommet Hub	B24002RRT
	w/4" Composite Inlet Hub	B24003RRT
	Simplex Poly Cover *	C18SP
	14g Simplex Steel Cover *	C18SS
	2-piece 14g Simplex Steel Cover *	C18TS

* Call Topp for pricing: 800-354-4534






† Includes hardware pack (bolts, washers & gasket tape)

* Includes hardware pack, discharge, vent & ECG



POLY BASINS, COVERS & ACCESSORIES

Polyethylene and Structural Foam Basin & Cover Packages

DESCRIPTION		PART No.*	
RECESSED ROLLED TOP BASINS			
 <p>18" x 30" Recessed Rolled Top Basin with Torque Stop <i>Innovative design features include a 4" molded inlet hub or standard inlet options in the same basin. Comes complete with 1/8" pump stabilizing torque stop. (30 U.S. Gallon Capacity)</i></p>	Basin only	B2400RRTS	
	w/4" Inlet Grommet	B24001RRTS	
	w/4" Inlet Grommet Hub	B24002RRTS	
	w/4" Composite Inlet Hub	B24003RRTS	
	Simplex Poly Cover *	C18SP	
	14g Simplex Steel Cover *	C18SS	
<hr/>			
 <p>24" x 24" Recessed Rolled Top Basin <i>Recessed rolled top flange offers extra strength and ease of installation. (43 U.S. Gallon Capacity)</i></p>	2-Piece 14g Simplex Steel Cover *	C18TS	
	Basin only	B3100RRT	
	w/4" Inlet Grommet	B31001RRT	
	w/4" Inlet Grommet Hub	B31002RRT	
	w/4" Composite Inlet Hub	B31003RRT	
	14g Simplex Steel Cover *	C24SSL	
<hr/>			
 <p>24" x 30" Recessed Rolled Top Basin <i>Manufactured using the highest grade of polyethylene to assure years of trouble-free performance. (54 U.S. Gallon Capacity)</i></p>	12g Simplex Steel Cover	C24SSL	
	12g Simplex Steel Cover (1) Pump Access Plate *	C24-12SSA	
	Basin only	B3300RRT	
	w/4" Inlet Grommet	B33001RRT	
	w/4" Inlet Grommet Hub	B33002RRT	
	w/4" Composite Inlet Hub	B33003RRT	
<hr/>			
 <p>24" x 36" Recessed Rolled Top Basin <i>Extra-high recessed rolled top helps prevent debris from entering basin during installation. (65 U.S. Gallon Capacity)</i></p>	14g Simplex Steel Cover *	C24SSL	
	12g Simplex Steel Cover (1) Pump Access Plate *	C24-12SSA	
	Basin only	B3200RRT	
	w/4" Inlet Grommet	B32001RRT	
	w/4" Inlet Grommet Hub	B32002RRT	
	w/4" Composite Inlet Hub	B32003RRT	
<hr/>			
SUPER BLUE BASINS			
<p>Super Blue Polyethylene Basins Twice the thickness – twice the weight <i>Our flagship poly basin – more durable than structural foam and easier to work with than fiberglass.</i></p>  <p>Super Blue Poly Extensions</p>	18" x 24" Blue Poly Basin	SHDB240	
	w/1 - 4" Composite Inlet Hub	SHDB241	
	w/2 - 4" Composite Inlet Hubs	SHDB242	
	18" x 30" Blue Poly Basin	SHDB300	
	w/1 - 4" Composite Inlet Hub	SHDB301	
	w/2 - 4" Composite Inlet Hubs	SHDB302	
	Single Hole Steel Sump Cover *	C18WSE	
	Single Hole Poly Sump Cover *	C18WPE	
	Simplex Poly Cover *	C18SP	
	14g Simplex Steel Cover *	C18SS	
	<hr/>		
	18" x 6" Poly Extension	SHDB1806E	
	18" x 12" Poly Extension	SHDB1812E	

* Call Topp for pricing: 800-354-4534





† Includes hardware pack (bolts, washers & gasket tape)

* Includes hardware pack, discharge, vent & ECG



POLY BASINS, COVERS & ACCESSORIES

Polyethylene and Structural Foam Basin & Cover Packages

DESCRIPTION	PART No.*	
STRUCTURAL FOAM BASINS		
 <p>18" x 22" Structural Foam Basin</p> <p>The M2 structural foam basin is true to its dimensions and offers an increase of 2.75 gallons over the competition's 18" x 22". (22 U.S. Gallon Capacity)</p>	Basin only	M2-2200
	w/4" Inlet Grommet	M2-22001
	w/4" Inlet Grommet Hub	M2-22002
	w/4" Composite Inlet Hub	M2-22003
	Poly Bolt-Down Slotted Cover †	C18LP
	Solid Poly Cover †	C18WP
	14g Solid Steel Cover †	C18WSL
	Solid Structural Foam Cover †	C18WSF
	2½" Single Hole Poly Cover †	C18WPE
	14g 2½" Single Hole Steel Cover †	C18WSE
	2½" Single Hole Structural Foam Cover †	C18WSFE
	Simplex Poly Cover *	C18SP
	14g Simplex Steel Cover *	C18SS
	Simplex Structural Foam Cover *	C18SF
2-Piece 14g Simplex Steel Cover *	C18TS	
2-Piece Simplex Structural Foam Cover *	C18TSF	
 <p>18" x 30" Structural Foam Basin</p> <p>Increased volume capacity over our competitors, means less cycling time for your pump, increasing pump life and decreasing operating cost. (30 U.S. Gallon Capacity)</p>	Basin only	M3-2400
	w/4" Inlet Grommet	M3-24001
	w/4" Inlet Grommet Hub	M3-24002
	w/4" Composite Inlet Hub	M3-24003
	Simplex Poly Cover *	C18SP
	14g Simplex Steel Cover *	C18SS
	Simplex Structural Foam Cover *	C18SF
	2-Piece 14g Simplex Steel Cover *	C18TS
	2-piece Simplex Structural Foam Cover *	C18TSF
	 <p>Structural Foam Anti-float Ring</p> <p>Attaches securely and easily to your Topp Structural Foam basin to help provide a stable environment in high-water situations.</p>	Structural Foam Anti-float Ring
18" x 22" Structural Foam Basin w/Anti-float Ring		M2-2200F
18" x 24" Structural Foam Basin w/Anti-float Ring		M3-2400F
CORRUGATED WALL BASINS		
 <p>18" x 24" Corrugated Tapered Wall Basin</p> <p>Unique "TOPP-LOCK" cover design makes every installation a breeze. (26 U.S. Gallon Capacity)</p>	Basin only	B2300TL
	TOPP Locking Slotted Poly Cover	C23STL
	TOPP Locking Solid Poly Cover	C23WTL
	14g Locking Simplex Cover	C23SSR
<p>18" x 30" Corrugated Tapered Wall Basin</p> <p>Wall thickness is .100" (approx.) thicker than the competition, which provides long-term reliability. (34 U.S. Gallon Capacity)</p>	Basin only	B2400TL
	TOPP Locking Slotted Poly Cover	C23STL
	TOPP Locking Solid Poly Cover	C23WLT
	14g Locking Simplex Cover	C23SSR

* Call Topp for pricing: 800-354-4534

† Includes hardware pack (bolts, washers & gasket tape)

* Includes hardware pack, discharge, vent & ECG



POLY BASINS, COVERS & ACCESSORIES

Polyethylene and Structural Foam Basin & Cover Packages

DESCRIPTION	PART No.*
-------------	-----------

ELEVATOR BASINS



18" x 22" Poly Elevator Basin

Economy elevator pit basin package designed for water run-off to help keep the environment safe. Cover provided with discharge flange and ECG. (22 U.S. Gallon capacity)

Basin only	B2200
¼" Thick Perforated Steel Cover *	C18ELE

24" x 36" Poly Elevator Basin

Increased volume capacity on our 24" x 36" Elevator Basin increases pump performance. (24 U.S. Gallon capacity)

Basin only	B3200
¼" Thick Perforated Steel Cover *	C24ELE

ULTRA-POLY BASIN



Ultra-Poly Basin

Unique design gives added support to a shallow clearance, high capacity Poly Basin. Compatible with all our 18" covers. Heavy duty version available.

24" x 24" Ultra-Poly Basin	B2424
w/4" Inlet Grommet	B24241
w/4" Inlet Grommet Hub	B24242
Simplex Poly Cover *	C18SP
14g Simplex Steel Cover *	C18SS
Simplex Non-Skid Fiberglass Cover for 18" Poly Basins *	C18FSNSTP

IAPMO LISTED BASIN



18" x 30" IAPMO Listed Basin

IAPMO LISTED – ¼" thick Wall Sewage Ejector Basin is provided with 2" Vent & Discharge Grommets, 16 S.S. bolts & washers and water & gas-tight cover gasket material to withstand a 10-foot stack test.

Basin Package w/10g Simplex Steel Cover *	B24SSIL
---	---------

POLY EXTENSIONS



18" Recessed Roll Top Poly Extensions

Quickly increase your basin height and help prevent debris from entering basin during installation.

18" x 6" Poly Extensions †	B1806EXT
18" x 12" Poly Extensions †	B1812EXT



24" Recessed Roll Top Poly Extensions

Provide a flush surface when you assemble the cover and increase your basin height with ease.

24" x 6" Poly Extensions †	B2406EXT
24" x 12" Poly Extensions †	B2412EXT

POLY TRIPLE GARAGE BASINS

18" x 39" Poly Triple Garage System



Designed to help garage areas and other facilities handle volatile wastes that they generate. Separates volatile wastes as they pass through the system of baffles and rise to the surface. (Meeting IL code). Includes three black epoxy-coated 14g Solid Steel covers, Composite inlet hub and discharge.

Vents on the North Side †	B1839TN
Vents on the South Side †	B1839TS











* Call Topp for pricing: 800-354-4534

* Includes hardware pack, discharge, vent & ECG † Includes hardware pack (bolts, washers & gasket tape)



POLY BASINS, COVERS & ACCESSORIES

Basin Covers & Accessories

DESCRIPTION	PART No.*
BASIN COVERS & ACCESSORIES	
 <p>Slotted Polyethylene Covers Engineered for quick cover installation and removal. Designed for pedestal pumps and for non-radon sump basins.</p>	Fits our 18" Corrugated Basins C23SLP
	Economy Slotted for 18" Basins C18LPN
	Bolt-Down Slotted for 18" Basins † C18LP
 <p>Solid Polyethylene Covers Designed for submersible pumps and lets you decide where and if you want slots or holes in the cover.</p>	Fits our 18" Corrugated Basins C23WTL
	Solid Polyethylene for 18" Basins † C18WP
Solid Structural Foam Cover	For 18" ID Basins † C18WSF
 <p>Solid Fiberglass Covers Corrosion resistance and a great choice when the vent, discharge, and power cords are going through the basin wall.</p>	Solid Non-Skid Fiberglass Cover for 18" Poly Basins C18WFNSTP
	Solid Non-Skid Fiberglass Cover for 24" Poly Basins C24WFNSTP
	½" Thick Non-Skid Fiberglass Cover for 30" Poly Basins – 29 lbs. † C30WFNSTP
	½" Thick Non-Skid Fiberglass Cover for 36" Poly Basins – 40 lbs. † C36WFNSTP
 <p>Solid Steel Covers</p>	14g for 18" Basins – 8 lbs. † C18WSL
	¼" thick for 18" Basins – 23 lbs. † C18WSH
	14g for 24" Basins – 12 lbs. † C24WSL
	¼" thick for 24" Basins – 48 lbs. † C24WSH
	¼" thick for 30" Basins – 65 lbs. † C30WS
 <p>Single Hole Covers</p>	¼" thick for 36" Basins – 90 lbs. † C36WS
	For 14" Economy Basin † C14WPE
	Poly Cover for 18" Basin † C18WPE
	Steel Cover for 18" Basin † C18WSE
	Structural Foam Cover for 18" Basin † C18WSFE
 <p>Elevator Covers Designed for water run-off to help keep the environment safe.</p>	¼" thick Perforated Steel for 18" ID Basins * C18ELE
	¼" Thick Perforated Steel for 24" ID Basins * C24ELE
 <p>Simplex Polyethylene Covers Constructed of durable, corrosion-resistant polyethylene resin.</p>	For 18" ID Basins * C18SP
	For 18" ID Side-Vent Basins ■ C18SPSV
 <p>Simplex Structural Foam Cover Engineered for durability, corrosion-resistant, increased strength.</p>	For 18" Basins * C18SF
	Simplex Non-Skid Fiberglass Cover for 18" Poly Basins C18FSNSTP
	Simplex Non-Skid Fiberglass Cover for 24" Poly Basins C24FSNSTP
 <p>Simplex Non-Skid Fiberglass Covers</p>	Simplex Non-Skid Fiberglass Cover for 30" Poly Basins C30FSNSTP
	Simplex Non-Skid Fiberglass Cover for 36" Poly Basins C36FSNSTP
	14g for 18" Basins – 8 lbs. * C18SS
 <p>Simplex Steel Covers Epoxy coating provides a tough and durable surface.</p>	¼" thick for 18" Basins – 23 lbs. * C18SSH
	14g for 24" Basins – 14 lbs. * C24SSL
	¼" thick for 24" Basins – 50 lbs. * C24SSH
	14g for 18" ID Side-Vent Basins – 8 lbs. ■ C18SSSV
	14g for 23" ID Side-Vent Basins – 12 lbs. ■ C27SSSV

* Call Topp for pricing: 800-354-4534

† Includes hardware pack (bolts, washers & gasket tape)





* Includes hardware pack, discharge, vent & ECG

■ Includes hardware pack, discharge & ECG



POLY BASINS, COVERS & ACCESSORIES

Basin Covers & Accessories

DESCRIPTION		PART No.*
BASIN COVERS & ACCESSORIES		
	Two-Piece Simplex Structural Foam Cover Durable, corrosion-resistant cover providing a quicker access to your pump.	For 18" ID Basins * C18TSF
	Two-Piece Simplex Steel Cover Provides a quicker access to your pump, as you never cut your vent pipe with this epoxy-coated cover.	For 18" ID Basins * C18TS
	Simplex Steel Cover with Access Plate The 4-bolt pump access plate offers ease in the basin for pump installation and removal. Blank inspection plate provides quicker access for pump inspection.	12g Steel for 24" Basins – 40 lbs. * C24-12SSA
		12g Steel for 30" Basins – 40 lbs. * C30-12SSA
		12g Steel for 36" Basins – 70 lbs. * C36-12SSA
	Duplex Steel Covers with Access Plates Includes two pump access plates to aid pump installation and removal. Blank inspection plate provides quicker access for pump inspection.	12g Steel for 30" Basins – 44 lbs. * C30-12DSA
		12g Steel for 36" Basins – 75 lbs. * C36-12DSA
	SumpMaster Fully-automatic auxiliary power source for residential flood control. Designed with the homeowner in mind. Installs in minutes with no modifications or piping changes. The SUMPMASTER will power your existing sump pump in an outage. Engineered to work with any new or existing 115V sump pump up to 1/2 H.P. The SUMPMASTER takes D.C. battery power and converts it to 115 VAC power (when standard power fails or is not available).	SumpMaster, the fully automatic charging system. UL Listed & CUL (Canada) SUMPMASTER
	High Water Alarms This alarm is constructed of a non-metallic enclosure and safe 9-volt operation through use of a 120 volt-to-9 volt transformer. Quick push tab connectors allow time saving float switch installation. The power monitor lamp will go out if power to the system fails also sounding the 85db solid tone to alert you to the problem. Metallic enclosure is designed for sump & sewage basins, septic tanks, dosing, & storage tanks. Quick push tab connectors allow time saving float switch installation. Supplied with mini 15 ft. float, additional 5 ft. lengths available. UL & CUL Listed.	Nema 1 Indoor Alarm w/10 ft. Mini Mercury Float HWA100
		Nema 1 Indoor Alarm w/15 ft. Mini Mercury Float HWA125
	Rubber Sleeve Full Flow Swing Check Valves Full flow check valves were engineered to increase performance and for installation ease.	1¼" to 1½" Combination Full Flow Rubber Sleeve Check Valve CVSUMPR
		2" Full Flow Rubber Sleeve Check Valve CV200R
	Compression Nut PVC Swing Check Valves Easy installation and removal with compression seal connections.	1¼" to 1½" Combination Compression Nut PVC Swing Check Valve CVSUMPC
		2" Compression Nut PVC Swing Check Valve CV200C
	Solvent Weld PVC Check Valve Full flow design. No metallic parts, corrosion resistant. Angle seat and weighted flapper design for low pressure seal. Ideal for close working areas, easy pipe alignment. Designed for both horizontal and vertical usage.	Tru-Union Solvent Weld PVC Check Valve CV200TU









* Call Topp for pricing: 800-354-4534

* Includes hardware pack, discharge, vent & ECG







POLY BASINS, COVERS & ACCESSORIES

Basin Covers & Accessories

DESCRIPTION	PART No.*
BASIN COVERS & ACCESSORIES	
 <p>2" Ball/Check Valve Combination One-piece ball/check valve combination with a true union design allows removal of check valve for cleaning or repairs.</p>	<p>2 Ball/Check Valve Combination BCX-2000-S</p>
 <p>Discharge Pipes Add this Sch40 or Sch80 discharge pipe to your order and provide a job ready pack.</p>	<p>2" SCH 40 PVC Discharge Pipe 29" length DP200P4 2" SCH 80 PVC Discharge Pipe 29" length DP200P8</p>
 <p>Torque Stop Prevents pump rotation and protects the basin bottom with this 1/8" drop-in polyethylene torque stop.</p>	<p>Generic Pump Configuration for 18" x 30" Basins TS1830</p>
 <p>Stop "N" Seal Inlet Hub Pipe seal for 4" piping. Your piping will penetrate about 1 3/4" and stop. State of Illinois Approved.</p>	<p>Pipe seal for 4" piping through a 5" hole H400R Pipe Seal for 4" SRD 35 piping through a 5" hole H400R35</p>
 <p>Multi-Tite Hub A sure seal with Cast Iron Soil Pipe (service weight).</p>	<p>Pipe seal for 4" piping H400MTH</p>
 <p>Composite Hubs Fiberglass composite bolt-on hubs.</p>	<p>4" Fiberglass Hub for 4" Piping H401FG Flat-back Fiberglass Hub for 4" Piping H400FGFLAT</p>
 <p>Cast Iron Caulking Inlet Hubs Industrial enamel coated bolt-on cast iron inlet hubs.</p>	<p>Curved Back Cast Iron Hub for 2" Piping H200C Curved Back Cast Iron Hub for 3" Piping H300C Curved Back Cast Iron Hub for 4" Piping H400C Curved Back Cast Iron Hub for 4" Piping on 18" Basins H400C-18 Flat Back Cast Iron Hub for 4" Piping H400F</p>
 <p>"Ringer" Pipe Grommets For the quick, easy, and sure pipe seal.</p>	<p>For 1 1/4" Piping (OD) Through 3" Hole G125 For 1 1/2" Piping (OD) Through 3" Hole G150 For 2" Piping (OD) Through 3" Hole G200 For 3" Piping (OD) Through 4" Hole G300 For 4" Piping (OD) Through 5" Hole G400 For SDR35 4" Piping (OD) Through 5" Hole G400SDR35 Electric Cord Grommet, Seals up to 3 Cords (up to 3/8" OD) Through a 2 1/2" Hole ECG Electric Cord Grommet, Through a 2" Hole ECG200 Blank Snap Plug for 3" Hole (for steel covers only) BSP300</p>

* Call Topp for pricing: 800-354-4534







DESCRIPTION		PART No.*
BASIN COVER OPTIONS		
 <p>Uniseals</p> <p>A positive, mechanical pipe-to basin seal for flat or curved surfaces. The tapered inner diameter forces the outer diameter to expand and securely seal the penetrating pipe or tubing without adhesive hardware, or threads. It will seal a flat or curved surfaces even if the penetrating pipe is at an angle as great as 15 degrees.</p> <p>Uniseals are made from Alcryn® a tough, pliable thermoplastic developed by DuPont. It has excellent resistance to most chemical compounds, petroleum products, methanol, and most soil. (Alcryn® is trademark of E.I. DuPont Co., Inc.)</p>	Pipe Seal for 3/8" Piping Through 1" Hole	U038
	Pipe Seal for 1/2" Piping Through 1 1/4" Hole	U050
	Pipe Seal for 3/4" Piping Through 1 1/4" Hole	U075
	Pipe Seal for 1" Piping Through 1 3/4" Hole	U100
	Pipe Seal for 1 1/4" Piping Through 2" Hole	U125
	Pipe Seal for 1 1/2" Piping Through 2 1/2" Hole	U150
	Pipe Seal for 2" Piping Through 3" Hole	U200
	Pipe Seal for 2" Piping Through 3" Hole	U200-35
	Pipe Seal for 1 1/4" Piping Through 3" Hole	U200-125
	Pipe Seal for 1 1/2" Piping Through 3" Hole	U200-150
	Pipe Seal for 3" Piping Through 4" Hole	U300
	Pipe Seal for 2" Piping Through 4" Hole	U320
	Pipe Seal for Piping with a 3.900" OD, Through 5" Hole	U390
	Pipe Seal for 4" Piping Through 5" Hole	U400
	Pipe Seal for 4" x SDR35 Piping Through 5" Hole	U400-35
	Pipe Seal for 3" Piping Through 5" Hole	U430
	Pipe Seal for Piping with a 4.900" OD, Through 5 1/2" Hole	U490
	Pipe Seal for Piping with a 5.900" OD, Through 7" Hole	U590
	Pipe Seal for 6" Piping Through 7" Hole	U600
	Pipe Seal for 6" x SDR35 Piping Through 7" Hole	U600-35
<hr/>		
 <p>Plastic 2-Bolt Pipe Flange</p> <p>Corrosion resistant threaded vent and slip discharge flanges.</p>	Electric Cord Grommet, Seals up to 3 Cords Through a 2" Hole	UECG
	Plastic 2-Bolt Slip Flange, with O-Ring for 1 1/4" Piping	PF125S
	Plastic 2-Bolt Slip Flange, with O-Ring for 1 1/2" Piping	PF150S
	Blank Plastic Flange for 2" Hole	PF200B
	Plastic 2-Bolt Slip Flange, with O-Ring for 2" Piping	PF200S
	Plastic 2-Bolt Threaded Flange for 2" Piping	PF200T
	Plastic 2-Bolt Slip Flange, with O-Ring for 3" Piping	PF300S
	Plastic 2-Bolt Threaded Flange for 3" Piping	PF300T
<hr/>		
 <p>Access Plates - 12 Gauge</p> <p>Epoxy coated 12-gauge steel for easier pump installation and removal.</p>	16" Blank Pump Access Plate †	16BPA-12
	16" Pump Access Plate with ECG Grommet & Discharge Flange †	16PA-12
	18" Blank Pump Access Plate †	18BPA-12
	18" Pump Access Plate with ECG Grommet & Discharge Flange †	18PA-12
<hr/>		
 <p>Access Plates - 1/4" Thick</p> <p>Epoxy coated 1/4" steel for easier pump installation and removal.</p>	16" Blank Pump Access Plate †	16BPA-25
	16" Pump Access Plate w/ECG Grommet & Discharge Flange †	16PA-25
	18" Blank Pump Access Plate †	18BPA-25
	18" Pump Access Plate w/ECG Grommet & Discharge Flange †	18PA-25
	22" Blank Pump Access Plate †	22BPA-25
	22" Pump Access Plate w/ECG Grommet & Discharge Flange †	22PA-25
28" Blank Pump Access Plate †	28BPA-25	
28" Pump Access Plate w/ECG Grommet & Discharge Flange †	28PA-25	

* Call Topp for pricing: 800-354-4534



POLY BASINS, COVERS & ACCESSORIES

Basin Covers & Accessories

DESCRIPTION		PART No.*
BASIN COVERS & ACCESSORIES		
 <p>Inspection Plates - 12 Gauge <i>10" diameter for an 8" clear access opening.</i></p>	10" Blank Inspection Plate +	IN00-12
	10" Inspection Plate, w/One ½" Cord Grip +	IN01-12
	10" Inspection Plate, w/Two ½" Cord Grip +	IN02-12
	10" Inspection Plate, w/Three ½" Cord Grip +	IN03-12
	10" Inspection Plate, w/Four ½" Cord Grip +	IN04-12
 <p>Inspection Plates - ¼" Thick <i>10" diameter for an 8" clear access opening.</i></p>	10" Blank Inspection Plate +	IN00-25
	10" Inspection Plate, w/One ½" Cord Grip +	IN01-25
	10" Inspection Plate, w/Two ½" Cord Grip +	IN02-25
	10" Inspection Plate, w/Three ½" Cord Grip +	IN03-25
	10" Inspection Plate, w/Four ½" Cord Grip +	IN04-25
1" Steel Float Pole Coupling Welding Under Inspection Plate FP100E		
 <p>Electric Cord Grips <i>Easily adjust your power cord without entering the basin.</i></p>	½" NPT, Seals Cords from 0.236" to 0.472" OD	GRIP050
	¾" NPT, Seals Cords from 0.511" to 0.708" OD	GRIP075
	1" NPT, Seals Cords from 0.236" to 1.024" OD	GRIP100
 <p>Polyethylene Baffles <i>For directing the path of influent and effluent in a basin.</i></p>	Inlet Baffle, 8" Wide x 4" Deep x 12" Long	PIB12
	Inlet Baffle, 8" Wide x 4" Deep x 18" Long	PIB18
	Inlet Baffle, 8" Wide x 4" Deep x 24" Long	PIB24
	Inlet Baffle, 8" Wide x 4" Deep x 36" Long	PIB36
	Inlet Baffle, 8" Wide x 4" Deep x 48" Long	PIB48
 <p>Gasket Material <i>Replacement cover gasket material for gas-tight and water-tight seals.</i></p>	Foam Tape Seal - 1/8" x 3/4" x 6'	CGM06F
	Butyl Tape Seal - 3/8" x 15'	CGM15B
 <p>Bolts and Washers <i>Replacement stainless steel hardware packs for Topp Industries covers.</i></p>	¼"-20 x 1¼" Bolts (6), ¼"-20 Washers (6)	HP1420
	5/16"-18 x 1¼" Bolts (6), 5/16"-18 Washers (6)	HP516
	3/8"-16 x 1¼" Bolts (6), 3/8"-16 Washers (6)	HP38

* Call Topp for pricing: 800-354-4534