



FIBERGLASS BASINS & COVERS

18" Inside Diameter Basins

Manufactured to ASTM D3753, one-piece tanks as deep as 35 ft.

TOPP fiberglass basins are made with the highest quality material and testing standards currently in the market. Our chop-hoop filament wound tanks are available in 18", 24", 30", 36", 42", 48", 60", 72", 96" and 120". TOPP also offers Triple Garage Systems designed to help garage areas and other facilities handle the volatile wastes they generate.



Basins, Covers & Extensions

- Basins and extensions available in 18", 24", 30", 36", 42", 48", 60", 72", 96" and 120" inside diameters
- Various one-piece lengths available up to 35 ft.
- Consult our factory directly for depths longer than 35 ft.
- Sealing kit included with covers and extensions
- Extensions use the same manufacturing process as our fiberglass basins

PART No.*	CAPACITY IN U.S. GALLONS	FIBERGLASS BASIN ONLY*	WEIGHT U.S. LBS	BASIN WITH FG ANTI-FLOAT ADD "F" TO PART No.*	WEIGHT U.S. LBS.	BASIN WITH STEEL ANTI-FLOAT ADD "S" TO PART No.*	WEIGHT U.S. LBS.
FB18X022	24		19		29		61
FB18X030	33		22		32		64
FB18X036	40		25		35		67
FB18X042	46		29		39		71
FB18X048	53		32		42		74
FB18X054	59		35		45		77
FB18X060	66		40		50		82
FB18X066	73		45		55		87
FB18X072	79		50		60		92
FB18X078	86		55		65		97
FB18X084	93		60		70		102
FB18X090	99		N/A		72		105
FB18X096	106		N/A		75		108
FB18X102	112		N/A		78		110
FB18X108	119		N/A		80		113
FB18X114	126		N/A		83		116
FB18X120	132		N/A		86		118



DESCRIPTION	PART No.*
18" INSIDE DIAMETER STANDARD ROUND COVERS	
1/4" Thick Solid Black Poly Cover – 4 lbs.	C18WP
1/4" Thick Simplex Black Poly Cover – 4 lbs.	C18SP
14g Solid Black Epoxy Steel Cover – 8 lbs.	C18WSL
14g Simplex Black Epoxy Steel Cover – 8 lbs.	C18SS
1/4" Thick Solid Black Epoxy Steel Cover – 23 lbs.	C18WSH
1/4" Thick Simplex Black Epoxy Steel Cover – 23 lbs.	C18SSH
Simplex Non-Skid Fiberglass Cover for 18" Fiberglass Basins – 9 lbs.	C18FSNST
1/4" Thick Perforated Elevator Cover – 22 lbs.	C18ELE
Non-Skid Solid Green Fiberglass Cover – 9 lbs.	C18WFNST

Standard Round Covers for 18" ID Basins

* Call Topp for pricing: 800-354-4534



FIBERGLASS BASINS & COVERS

24" Inside Diameter Basins

PART No.*	CAPACITY IN U.S. GALLONS	FIBERGLASS BASIN ONLY*	WEIGHT U.S. LBS	BASIN WITH FG ANTI-FLOAT ADD "F" TO PART No.*	WEIGHT U.S. LBS.	BASIN WITH STEEL ANTI-FLOAT ADD "S" TO PART No.*	WEIGHT U.S. LBS.
FB24X024	47		30		50		97
FB24X030	59		35		55		102
FB24X036	71		40		60		107
FB24X042	82		45		65		112
FB24X048	94		50		70		117
FB24X054	106		54		74		121
FB24X060	118		59		79		126
FB24X066	129		64		84		131
FB24X072	141		69		89		136
FB24X078	153		92		112		159
FB24X084	165		96		116		163
FB24X090	176		N/A		120		167
FB24X096	188		N/A		125		172
FB24X102	200		N/A		129		176
FB24X108	212		N/A		133		180
FB24X114	223		N/A		138		185
FB24X120	235		N/A		142		189
FB24X126	247		N/A		146		193
FB24X132	259		N/A		151		195
FB24X138	270		N/A		155		202
FB24X144	282		N/A		159		206
FB24X150	294		N/A		166		213
FB24X156	306		N/A		172		219
FB24X162	317		N/A		178		225
FB24X168	329		N/A		184		231
FB24X174	341		N/A		190		237
FB24X180	353		N/A		196		243
FB24X186	364		N/A		202		249
FB24X192	376		N/A		208		255
FB24X198	388		N/A		214		261
FB24X204	400		N/A		221		268
FB24X210	411		N/A		227		274
FB24X216	423		N/A		233		280
FB24X222	435		N/A		239		286
FB24X228	447		N/A		245		292
FB24X234	458		N/A		251		298
FB24X240	470		N/A		257		304

DESCRIPTION	PART No.*
24" INSIDE DIAMETER STANDARD ROUND COVERS	
1/2" Thick Non-Skid Solid Green Fiberglass Cover – 18 lbs.	C24WFNST
1/2" Thick Non-Skid Simplex Fiberglass Cover w/Access	C24SFA
14g Solid Black Epoxy Steel Cover – 12 lbs.	C24WSL
14g Simplex Black Epoxy Steel Cover – 14 lbs.	C24SSL
12g Simplex Black Epoxy Steel Cover – 40 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C24-12SSA
1/4" Thick Solid Steel Cover – 48 lbs.	C24WSH
1/4" Thick Simplex Black Epoxy Steel Cover – 50 lbs.	C24SSH
Simplex Non-Skid Fiberglass Cover for 24" Fiberglass Basins – 18 lbs.	C24FSNST
1/4" Thick Simplex Black Epoxy Steel Cover – 50 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C24SSA
1/4" Thick Duplex Black Epoxy Steel Cover – 52 lbs. w/(2) Access Plates and (1) Blank Inspection Plate	C24DSA
Steel Single Hatch Door – 60 lbs.	C24HSS
Aluminum Single Hatch Door – 22 lbs.	C24HSA
1/4" Thick Perforated Elevator Cover – 50 lbs.	C24ELE

**Standard Round Covers
for 24" ID Basins**

* Call Topp for pricing: 800-354-4534



FIBERGLASS BASINS & COVERS

30" Inside Diameter Basins

PART No.*	CAPACITY IN U.S. GALLONS	FIBERGLASS BASIN ONLY*	WEIGHT U.S. LBS	BASIN WITH FG ANTI-FLOAT ADD "F" TO PART No.*	WEIGHT U.S. LBS.	BASIN WITH STEEL ANTI-FLOAT ADD "S" TO PART No.*	WEIGHT U.S. LBS.
FB30X030	92		46		74		142
FB30X036	110		52		80		148
FB30X042	129		58		86		154
FB30X048	147		64		92		160
FB30X054	165		70		98		166
FB30X060	184		76		104		172
FB30X066	202		112		141		209
FB30X072	220		118		147		214
FB30X078	239		125		154		222
FB30X084	257		133		162		230
FB30X090	275		N/A		170		237
FB30X096	294		N/A		177		245
FB30X102	312		N/A		185		252
FB30X108	330		N/A		192		260
FB30X114	349		N/A		200		268
FB30X120	367		N/A		208		275
FB30X126	386		N/A		215		283
FB30X132	404		N/A		223		291
FB30X138	422		N/A		231		298
FB30X144	441		N/A		238		306
FB30X150	459		N/A		246		314
FB30X156	477		N/A		254		321
FB30X162	496		N/A		261		329
FB30X168	514		N/A		269		336
FB30X174	532		N/A		276		344
FB30X180	551		N/A		284		352
FB30X186	569		N/A		292		359
FB30X192	588		N/A		299		367
FB30X198	606		N/A		309		377
FB30X204	624		N/A		319		387
FB30X210	643		N/A		329		397
FB30X216	661		N/A		339		407
FB30X222	679		N/A		349		416
FB30X228	698		N/A		359		426
FB30X234	716		N/A		368		436
FB30X240	734		N/A		378		446

DESCRIPTION	PART No.*	
30" INSIDE DIAMETER STANDARD ROUND COVERS		
Standard Round Covers for 30" ID Basins	1/2" Thick Non-Skid Solid Fiberglass Cover – 29 lbs.	C30WFNST
	1/2" Thick Non-Skid Simplex Fiberglass Cover w/Access	C30SFA
	1/2" Thick Non-Skid Duplex Fiberglass Cover w/Access	C30DFA
	12g Simplex Black Epoxy Steel Cover – 40 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C30-12SSA
	12g Duplex Black Epoxy Steel Cover – 44 lbs. w/(2) Access Plates and (1) Blank Inspection Plate	C30-12DSA
	1/4" Thick Solid Steel Cover – 65 lbs.	C30WS
	1/4" Thick Simplex Black Epoxy Steel Cover – 69 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C30SSA
	1/4" Thick Duplex Black Epoxy Steel Cover – 73 lbs. w/(2) Access Plates and (1) Blank Inspection Plate	C30DSA
	Steel Single Hatch Door – 88 lbs.	C30HSS
	Aluminum Single Hatch Door – 32 lbs.	C30HSA

* Call Topp for pricing: 800-354-4534



FIBERGLASS BASINS & COVERS

36" Inside Diameter Basins

PART No.*	CAPACITY IN U.S. GALLONS	FIBERGLASS BASIN ONLY*	WEIGHT U.S. LBS	BASIN WITH FG ANTI-FLOAT ADD "F" TO PART No.*	WEIGHT U.S. LBS.	BASIN WITH STEEL ANTI-FLOAT ADD "S" TO PART No.*	WEIGHT U.S. LBS.
FB36X036	159		64		103		195
FB36X042	185		71		110		202
FB36X048	212		78		118		210
FB36X054	238		86		125		217
FB36X060	264		93		132		224
FB36X066	291		159		198		290
FB36X072	317		168		207		299
FB36X078	344		177		216		308
FB36X084	370		186		226		318
FB36X090	397		N/A		235		327
FB36X096	423		N/A		244		336
FB36X102	449		N/A		253		345
FB36X108	476		N/A		262		354
FB36X114	502		N/A		271		364
FB36X120	529		N/A		281		373
FB36X126	555		N/A		290		382
FB36X132	582		N/A		299		391
FB36X138	608		N/A		308		400
FB36X144	635		N/A		320		412
FB36X150	661		N/A		332		424
FB36X156	687		N/A		344		436
FB36X162	714		N/A		355		448
FB36X168	740		N/A		367		459
FB36X174	767		N/A		379		471
FB36X180	793		N/A		391		483
FB36X186	820		N/A		403		495
FB36X192	846		N/A		415		507
FB36X198	872		N/A		426		519
FB36X204	899		N/A		438		530
FB36X210	925		N/A		450		542
FB36X216	952		N/A		462		554
FB36X222	978		N/A		479		571
FB36X228	1,005		N/A		496		588
FB36X234	1,031		N/A		514		606
FB36X240	1,058		N/A		531		623

DESCRIPTION	PART No.*	
36" INSIDE DIAMETER STANDARD ROUND COVERS		
Standard Round Covers for 36" ID Basins	1/2" Thick Non-Skid Solid Fiberglass Cover – 40 lbs.	C36WFNST
	1/2" Thick Non-Skid Simplex Fiberglass Cover w/Access	C36SFA
	1/2" Thick Non-Skid Duplex Fiberglass Cover w/Access	C36DFA
	12g Simplex Black Epoxy Steel Cover – 70 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C36-12SSA
	12g Duplex Black Epoxy Steel Cover – 75 lbs. w/(2) Access Plates and (1) Blank Inspection Plate	C36-12DSA
	1/4" Thick Solid Steel Cover – 90 lbs.	C36WS
	1/4" Thick Simplex Black Epoxy Steel Cover – 95 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C36SSA
	1/4" Thick Duplex Black Epoxy Steel Cover – 100 lbs. w/(2) Access Plates and (1) Blank Inspection Plate	C36DSA
	Steel Single Hatch Door – 110 lbs.	C36HSS
	Aluminum Single Hatch Door – 45 lbs.	C36HSA

* Call Topp for pricing: 800-354-4534



FIBERGLASS BASINS & COVERS

42" Inside Diameter Basins

PART No.*	CAPACITY IN U.S. GALLONS	BASIN WITH FG ANTI-FLOAT ADD "F" TO PART No.*	WEIGHT U.S. LBS.	BASIN WITH STEEL ANTI-FLOAT ADD "S" TO PART No.*	WEIGHT U.S. LBS.
FB42X030	180		134		254
FB42X036	216		145		265
FB42X042	252		156		276
FB42X048	288		167		288
FB42X054	324		179		299
FB42X060	360		190		310
FB42X066	396		234		354
FB42X072	432		245		365
FB42X078	468		259		379
FB42X084	504		272		393
FB42X090	540		286		407
FB42X096	576		300		420
FB42X102	612		314		434
FB42X108	648		328		448
FB42X114	684		341		462
FB42X120	720		355		476
FB42X126	756		369		489
FB42X132	792		383		503
FB42X138	828		397		517
FB42X144	864		411		531
FB42X150	900		427		548
FB42X156	936		444		565
FB42X162	972		461		582
FB42X168	1,008		478		598
FB42X174	1,044		495		615
FB42X180	1,080		512		632
FB42X186	1,116		529		649
FB42X192	1,152		546		667
FB42X198	1,188		563		683
FB42X204	1,224		580		700
FB42X210	1,259		597		717
FB42X216	1,295		614		734
FB42X222	1,331		631		751
FB42X228	1,367		647		768
FB42X234	1,403		664		785
FB42X240	1,439		688		808

DESCRIPTION	PART No.*	
42" INSIDE DIAMETER STANDARD ROUND COVERS		
Standard Round Covers for 42" ID Basins	1/2" Thick Non-skid Solid Green Fiberglass Cover – 58 lbs.	C42WFNST
	1/4" Thick Solid Steel Cover – 128 lbs.	C42WS
	1/4" Thick Simplex Black Epoxy Steel Cover – 133 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C42SSA
	1/4" Thick Duplex Black Epoxy Steel Cover – 138 lbs. w/(2) Access Plates and (1) Blank Inspection Plate	C42DSA
	Steel Single Hatch Door – 157 lbs.	C42HSS
	Aluminum Single Hatch Door – 60 lbs.	C42HSA

* Call Topp for pricing: 800-354-4534



FIBERGLASS BASINS & COVERS

48" Inside Diameter Basins

PART No.*	CAPACITY IN U.S. GALLONS	BASIN WITH FG ANTI-FLOAT ADD "F" TO PART No.*	WEIGHT U.S. LBS.	BASIN WITH STEEL ANTI-FLOAT ADD "S" TO PART No.*	WEIGHT U.S. LBS.
FB48X030	235		162		314
FB48X036	282		175		327
FB48X042	329		188		340
FB48X048	376		200		353
FB48X054	423		213		365
FB48X060	470		226		378
FB48X066	517		309		461
FB48X072	564		325		477
FB48X078	611		344		496
FB48X084	658		364		516
FB48X090	705		383		535
FB48X096	752		402		554
FB48X102	799		422		574
FB48X108	846		441		593
FB48X114	893		460		612
FB48X120	940		480		632
FB48X126	987		499		651
FB48X132	1,034		518		670
FB48X138	1,081		538		690
FB48X144	1,128		557		709
FB48X150	1,175		576		729
FB48X156	1,222		596		748
FB48X162	1,269		615		767
FB48X168	1,316		634		787
FB48X174	1,363		654		806
FB48X180	1,410		673		825
FB48X186	1,457		699		852
FB48X192	1,504		726		878
FB48X198	1,551		752		905
FB48X204	1,598		779		931
FB48X210	1,645		805		957
FB48X216	1,692		832		984
FB48X222	1,739		858		1,010
FB48X228	1,786		885		1,037
FB48X234	1,833		911		1,063
FB48X240	1,880		938		1,090

DESCRIPTION	PART No.*	
48" INSIDE DIAMETER STANDARD ROUND COVERS		
Standard Round Covers for 48" ID Basins	1/2" Thick Non-skid Solid Green Fiberglass Cover – 82 lbs.	C48WFNST
	1/2" Thick Non-skid Simplex Fiberglass Cover w/Access	C48SFA
	1/2" Thick Non-skid Duplex Fiberglass Cover w/Access	C48DFA
	1/4" Thick Solid Steel Cover – 165 lbs.	C48WS
	1/4" Thick Simplex Black Epoxy Steel Cover – 170 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C48SSA
	1/4" Thick Duplex Black Epoxy Steel Cover – 175 lbs. w/(2) Access Plates and (1) Blank Inspection Plate	C48DSA
	1/2" Thick Non-skid Solid Fiberglass Hatch Cover – 82 lbs.	C48HSFNST
	Steel Single Hatch Door – 210 lbs.	C48HSS
	Aluminum Single Hatch Door – 80 lbs.	C48HSA

Safety Grates available for Steel & Aluminum Hatch Covers - call (800) 354-4534 for pricing



FIBERGLASS BASINS & COVERS

60" Inside Diameter Basins

PART No.*	CAPACITY IN U.S. GALLONS	BASIN WITH FG ANTI-FLOAT ADD "F" TO PART No.*	WEIGHT U.S. LBS.	BASIN WITH STEEL ANTI-FLOAT ADD "S" TO PART No.*	WEIGHT U.S. LBS.
FB60X036	441		406		633
FB60X042	514		430		658
FB60X048	588		454		682
FB60X054	661		479		706
FB60X060	734		503		730
FB60X066	808		527		754
FB60X072	881		551		778
FB60X078	955		580		807
FB60X084	1,028		608		836
FB60X090	1,102		637		864
FB60X096	1,175		667		893
FB60X102	1,248		694		922
FB60X108	1,322		723		950
FB60X114	1,395		751		979
FB60X120	1,469		780		1,007
FB60X126	1,542		809		1,036
FB60X132	1,616		837		1,065
FB60X138	1,689		866		1,093
FB60X144	1,763		895		1,122
FB60X150	1,836		932		1,159
FB60X156	1,909		970		1,197
FB60X162	1,983		1,007		1,234
FB60X168	2,056		1,045		1,272
FB60X174	2,130		1,082		1,309
FB60X180	2,203		1,120		1,347
FB60X186	2,277		1,157		1,384
FB60X192	2,350		1,195		1,422
FB60X198	2,424		1,232		1,459
FB60X204	2,497		1,270		1,497
FB60X210	2,570		1,307		1,534
FB60X216	2,644		1,349		1,576
FB60X222	2,717		1,391		1,618
FB60X228	2,791		1,433		1,660
FB60X234	2,864		1,475		1,702
FB60X240	2,938		1,517		1,744

DESCRIPTION	PART No.*
60" INSIDE DIAMETER STANDARD ROUND COVERS	
	1/2" Thick Solid Blue Fiberglass Cover – 145 lbs. C60WF
	3/8" Thick Solid Steel Cover – 365 lbs. C60WS
Standard Round Covers for 60" ID Basins	3/8" Thick Simplex Black Epoxy Steel Cover – 380 lbs. w/(1) Access Plate and (1) Blank Inspection Plate C60SSA
	3/8" Thick Duplex Black Epoxy Steel Cover – 395 lbs. w/(2) Access Plates and (1) Blank Inspection Plate C60DSA
	Steel Single Hatch Door – 415 lbs. C60HSS
	Aluminum Single Hatch Door – 130 lbs. C60HSA

Safety Grates available for Steel & Aluminum Hatch Covers - call (800) 354-4534 for pricing

* Call Topp for pricing: 800-354-4534



FIBERGLASS BASINS & COVERS

72" Inside Diameter Basins

PART No.*	CAPACITY IN U.S. GALLONS	BASIN WITH FG ANTI-FLOAT ADD "F" TO PART No.*	WEIGHT U.S. LBS.	BASIN WITH STEEL ANTI-FLOAT ADD "S" TO PART No.*	WEIGHT U.S. LBS.
FB72X060	1,058		717		1,035
FB72X066	1,163		752		1,069
FB72X072	1,269		786		1,104
FB72X078	1,375		826		1,143
FB72X084	1,481		865		1,183
FB72X090	1,586		905		1,223
FB72X096	1,692		945		1,262
FB72X102	1,798		984		1,302
FB72X108	1,904		1,024		1,342
FB72X114	2,009		1,064		1,381
FB72X120	2,115		1,103		1,421
FB72X126	2,221		1,143		1,461
FB72X132	2,327		1,183		1,500
FB72X138	2,432		1,223		1,540
FB72X144	2,538		1,262		1,580
FB72X150	2,644		1,307		1,625
FB72X156	2,749		1,352		1,670
FB72X162	2,855		1,397		1,715
FB72X168	2,961		1,442		1,760
FB72X174	3,067		1,487		1,805
FB72X180	3,173		1,532		1,850
FB72X186	3,278		1,577		1,895
FB72X192	3,384		1,628		1,945
FB72X198	3,490		1,678		1,996
FB72X204	3,596		1,728		2,046
FB72X210	3,701		1,779		2,096
FB72X216	3,807		1,829		2,147
FB72X222	3,913		1,879		2,197
FB72X228	4,019		1,930		2,247
FB72X234	4,124		1,980		2,298
FB72X240	4,230		2,030		2,348

DESCRIPTION	PART No.*	
72" INSIDE DIAMETER STANDARD ROUND COVERS		
Standard Round Covers for 72" ID Basins	1/2" Thick Solid Blue Fiberglass Cover – 270 lbs.	C72WF
	3/8" Thick Solid Steel Cover – 508 lbs.	C72WS
	3/8" Thick Simplex Black Epoxy Steel Cover – 523 lbs. w/(1) Access Plate and (1) Blank Inspection Plate	C72SSA
	3/8" Thick Duplex Black Epoxy Steel Cover – 538 lbs. w/(2) Access Plates and (1) Blank Inspection Plate	C72DSA
	Steel Single Hatch Door – 578 lbs.	C72HSS
	Aluminum Single Hatch Door – 180 lbs.	C72HSA

Safety Grates available for Steel & Aluminum Hatch Covers - call (800) 354-4534 for pricing

* Call Topp for pricing: 800-354-4534



FIBERGLASS BASINS & COVERS

96" Inside Diameter Basins

PART No.*	CAPACITY IN U.S. GALLONS	BASIN WITH STEEL ANTI-FLOAT*	WEIGHT U.S. LBS
FB96X096S	3,008		2,184
FB96X102S	3,196		2,283
FB96X108S	3,384		2,372
FB96X114S	3,572		2,480
FB96X120S	3,760		2,591
FB96X126S	3,948		2,717
FB96X132S	4,136		2,829
FB96X138S	4,324		2,940
FB96X144S	4,512		3,052
FB96X150S	4,700		3,187
FB96X156S	4,888		3,293
FB96X162S	5,076		3,426
FB96X168S	5,264		3,551
FB96X174S	5,452		3,726
FB96X180S	5,640		3,855
FB96X186S	5,828		3,991
FB96X192S	6,016		4,153
FB96X198S	6,204		4,268
FB96X204S	6,392		4,420
FB96X210S	6,580		4,580
FB96X216S	6,768		4,841
FB96X222S	6,956		5,028
FB96X228S	7,144		5,240
FB96X234S	7,332		5,381
FB96X240S	7,520		5,532

DESCRIPTION	PART No.*
96" INSIDE DIAMETER STANDARD ROUND COVERS	

Aluminum Single Hatch Door

C96HSA

Safety Grates available for Aluminum Hatch Covers - call (800) 354-4534 for pricing

* Call Topp for pricing: 800-354-4534



FIBERGLASS BASINS & COVERS

120" Inside Diameter Basins

PART No.*	CAPACITY IN U.S. GALLONS	BASIN WITH STEEL ANTI-FLOAT*	WEIGHT U.S. LBS
FB120X096S	4,700		2,985
FB120X102S	4,994		3,171
FB120X108S	5,288		3,358
FB120X114S	5,581		3,544
FB120X120S	5,875		3,793
FB120X126S	6,169		3,948
FB120X132S	6,463		4,104
FB120X138S	6,756		4,260
FB120X144S	7,050		4,416
FB120X150S	7,344		4,475
FB120X156S	7,638		4,796
FB120X162S	7,932		4,968
FB120X168S	8,225		5,141
FB120X174S	8,519		5,330
FB120X180S	8,813		5,519
FB120X186S	9,107		5,708
FB120X192S	9,400		5,897
FB120X198S	9,694		6,086
FB120X204S	9,988		6,325
FB120X210S	10,282		6,533
FB120X216S	10,575		6,738
FB120X222S	10,869		7,125
FB120X228S	11,163		7,348
FB120X234S	11,457		7,570
FB120X240S	11,750		7,792

DESCRIPTION	PART No.*
120" INSIDE DIAMETER STANDARD ROUND COVERS	
Aluminum Single Hatch Door	C120HSA

Safety Grates available for Aluminum Hatch Covers - call (800) 354-4534 for pricing




* Call Topp for pricing: 800-354-4534












FIBERGLASS BASIN EXTENSIONS

DESCRIPTION	PART No.*	
FIBERGLASS EXTENSIONS FOR FIBERGLASS BASIN		
Fiberglass Extensions for 18" ID Fiberglass Basin	18" x 6" Fiberglass Extension ▶	FB18X006E
	18" x 12" Fiberglass Extension ▶	FB18X012E
	18" x 18" Fiberglass Extension ▶	FB18X018E
	18" x 24" Fiberglass Extension ▶	FB18X024E
	18" x 30" Fiberglass Extension ▶	FB18X030E
	18" x 36" Fiberglass Extension ▶	FB18X036E
	18" x 42" Fiberglass Extension ▶	FB18X042E
	18" x 48" Fiberglass Extension ▶	FB18X048E
Fiberglass Extensions for 24" ID Fiberglass Basin	24" x 6" Fiberglass Extension ▶	FB24X006E
	24" x 12" Fiberglass Extension ▶	FB24X012E
	24" x 18" Fiberglass Extension ▶	FB24X018E
	24" x 24" Fiberglass Extension ▶	FB24X024E
	24" x 30" Fiberglass Extension ▶	FB24X030E
	24" x 36" Fiberglass Extension ▶	FB24X036E
	24" x 42" Fiberglass Extension ▶	FB24X042E
	24" x 48" Fiberglass Extension ▶	FB24X048E
Fiberglass Extensions for 30" ID Fiberglass Basin	30" x 6" Fiberglass Extension ▶	FB30X006E
	30" x 12" Fiberglass Extension ▶	FB30X012E
	30" x 18" Fiberglass Extension ▶	FB30X018E
	30" x 24" Fiberglass Extension ▶	FB30X024E
	30" x 30" Fiberglass Extension ▶	FB30X030E
	30" x 36" Fiberglass Extension ▶	FB30X036E
	30" x 42" Fiberglass Extension ▶	FB30X042E
	30" x 48" Fiberglass Extension ▶	FB30X048E
Fiberglass Extensions for 36" ID Fiberglass Basin	36" x 6" Fiberglass Extension ▶	FB36X006E
	36" x 12" Fiberglass Extension ▶	FB36X012E
	36" x 18" Fiberglass Extension ▶	FB36X018E
	36" x 24" Fiberglass Extension ▶	FB36X024E
	36" x 30" Fiberglass Extension ▶	FB36X030E
	36" x 36" Fiberglass Extension ▶	FB36X036E
	36" x 42" Fiberglass Extension ▶	FB36X042E
	36" x 48" Fiberglass Extension ▶	FB36X048E
Fiberglass Extensions for 42" ID Fiberglass Basin	42" x 6" Fiberglass Extension ▶	FB42X006E
	42" x 12" Fiberglass Extension ▶	FB42X012E
	42" x 18" Fiberglass Extension ▶	FB42X018E
	42" x 24" Fiberglass Extension ▶	FB42X024E
	42" x 30" Fiberglass Extension ▶	FB42X030E
	42" x 36" Fiberglass Extension ▶	FB42X036E
	42" x 42" Fiberglass Extension ▶	FB42X042E
	42" x 48" Fiberglass Extension ▶	FB42X048E
Fiberglass Extensions for 48" ID Fiberglass Basin	48" x 6" Fiberglass Extension ▶	FB48X006E
	48" x 12" Fiberglass Extension ▶	FB48X012E
	48" x 18" Fiberglass Extension ▶	FB48X018E
	48" x 24" Fiberglass Extension ▶	FB48X024E
	48" x 30" Fiberglass Extension ▶	FB48X030E
	48" x 36" Fiberglass Extension ▶	FB48X036E
	48" x 42" Fiberglass Extension ▶	FB48X042E
	48" x 48" Fiberglass Extension ▶	FB48X048E
Fiberglass Extensions for 60" ID Fiberglass Basin	60" x 6" Fiberglass Extension ▶	FB60X006E
	60" x 12" Fiberglass Extension ▶	FB60X012E
	60" x 18" Fiberglass Extension ▶	FB60X018E
	60" x 24" Fiberglass Extension ▶	FB60X024E
	60" x 30" Fiberglass Extension ▶	FB60X030E
	60" x 36" Fiberglass Extension ▶	FB60X036E
	60" x 42" Fiberglass Extension ▶	FB60X042E
	60" x 48" Fiberglass Extension ▶	FB60X048E

▶ Includes hardware pack (bolts, washers & gasket tape) * Call Topp for pricing: 800-354-4534

DESCRIPTION	PART No.*	
FIBERGLASS EXTENSIONS FOR FIBERGLASS BASIN		
Fiberglass Extensions for 72" ID Fiberglass Basin	72" x 6" Fiberglass Extension ▶	FB72X006E
	72" x 12" Fiberglass Extension ▶	FB72X012E
	72" x 18" Fiberglass Extension ▶	FB72X018E
	72" x 24" Fiberglass Extension ▶	FB72X024E
	72" x 30" Fiberglass Extension ▶	FB72X030E
	72" x 36" Fiberglass Extension ▶	FB72X036E
	72" x 42" Fiberglass Extension ▶	FB72X042E
72" x 48" Fiberglass Extension ▶	FB72X048E	
FIBERGLASS BASIN & COVER ACCESSORIES		
Pump Mounting Studs		
<i>Installed in your fiberglass basin, when ordered from Topp Industries, Inc.</i>	Stainless Steel Simplex Mounting Studs	SS
	Stainless Steel Duplex Mounting Studs	SD
 Fiberglass Stud Plates <i>To retrofit existing fiberglass or concrete (mounted in fiberglass plate).</i>	Stainless Steel Simplex Mounting Studs for a 24" ID Basin	FPSS24
	Stainless Steel Simplex Mounting Studs for a 30" ID Basin	FPSS30
	Stainless Steel Duplex Mounting Studs for a 30" ID Basin	FPSS30
	Stainless Steel Simplex Mounting Studs for a 36" ID Basin	FPSS36
	Stainless Steel Duplex Mounting Studs for a 36" ID Basin	FPSS36
	Stainless Steel Simplex Mounting Studs for a 42" ID Basin	FPSS42
	Stainless Steel Duplex Mounting Studs for a 42" ID Basin	FPSS42
	Stainless Steel Simplex Mounting Studs for a 48" ID Basin	FPSS48
	Stainless Steel Duplex Mounting Studs for a 48" ID Basin	FPSS48
	Stainless Steel Simplex Mounting Studs for a 60" ID Basin	FPSS60
	Stainless Steel Duplex Mounting Studs for a 60" ID Basin	FPSS60
	Stainless Steel Simplex Mounting Studs for a 72" ID Basin	FPSS72
	Stainless Steel Duplex Mounting Studs for a 72" ID Basin	FPSS72
	 Junction Boxes	4 x 4 x 4 Simplex Junction Box, w/1½" Hub, (3) ½" and (1) ¾" Cord Grips
6 x 6 x 4 Duplex Junction Box, w/2" Hub, (4) ½" and (2) ¾" Cord Grips		JB6S
8 x 8 x 4 Duplex Junction Box, w/2" Hub, (6) ½" and (2) ¾" Cord Grips		JB8S
Mini-Bulb Mercury Floats	Mini-Bulb, Mercury, Normally Open w/20' Cable	MMFLOAT-20
	Mini-Bulb, Mercury, Normally Open w/30' Cable	MMFLOAT-30
	Mini-Bulb, Mercury, Normally Open w/40' Cable	MMFLOAT-40
	Mini-Bulb, Mercury, Normally Open w/50' Cable	MMFLOAT-50
 Mercury Floats	Mercury Bulb, Normally Open w/20' Cable	MCFLOAT-20
	Mercury Bulb, Normally Open w/30' Cable	MCFLOAT-30
	Mercury Bulb, Normally Open w/40' Cable	MCFLOAT-40
	Mercury Bulb, Normally Open w/50' Cable	MCFLOAT-50
Mechanical Floats	Mechanical Bulb, Normally Open w/20' Cable	MEFLOAT-20
	Mechanical Bulb, Normally Open w/30' Cable	MEFLOAT-30
	Mechanical Bulb, Normally Open w/40' Cable	MEFLOAT-40
	Mechanical Bulb, Normally Open w/50' Cable	MEFLOAT-50

* Call Topp for pricing: 800-354-4534

DESCRIPTION		PART No.*
FIBERGLASS BASIN AND COVER ACCESSORIES		
	Stainless Steel Float Brackets <i>Shipped loose or installed in your basin when ordered from Topp Industries.</i>	304 Stainless Steel Simplex Float Bracket SSFB3-12 304 Stainless Steel Duplex Float Bracket SSFB4
	Lifting Lugs, Heavy Duty <i>Installed on your fiberglass basin when ordered from Topp Industries. (Two or three recommended.)</i>	Industrial Enamel Steel Mini-Lifting Lugs (each) LL050 Stainless Steel Mini-Lifting Lugs (each) LL050SS Industrial Enamel Steel Lifting Lugs (each) LL100 Stainless Steel Lifting Lugs (each) LL100SS
	Aluminum Ladder <i>Sold by the foot – shipped loose or installed in your fiberglass basin when ordered from Topp Industries.</i>	Aluminum Ladder for Easier Access in Your Lift Station AL12
	Screened Green Vents	2" Screened Green Vent, w/Galvanized Close Nipple GV200 3" Screened Green Vent, w/Galvanized Close Nipple GV300 4" Screened Green Vent, w/Galvanized Close Nipple GV400
	Threaded Couplings	1¼" NPT Composite Bolt-on Coupling † C125FG 1½" NPT Composite Bolt-on Coupling † C150FG 2" NPT Composite Coupling † C200FG 1¼" NPT Industrial Enameled Steel Bolt-on Coupling † C125E 1½" NPT Industrial Enameled Steel Bolt-on Coupling † C150E 2" NPT Industrial Enameled Steel Bolt-on Coupling † C200E 3" NPT Industrial Enameled Steel Bolt-on Coupling † C300E 4" NPT Industrial Enameled Steel Bolt-on Coupling † C400E 1¼" NPT Stainless Steel Bolt-on Coupling † C125S 1½" NPT Stainless Steel Bolt-on Coupling † C150S 2" NPT Stainless Steel Bolt-on Coupling † C200S 3" NPT Stainless Steel Bolt-on Coupling † C300S 4" NPT Stainless Steel Bolt-on Coupling † C400S
	Pipe Grommet Inlet Hub <i>Pipe seal for 4" piping. Your piping will penetrate about 1¾" and stop. State of Illinois Approved</i>	Pipe Seal for 4" Piping Through a 5" Hole H400R Pipe Seal for 4" SDR 35 Piping Through a 5" Hole H400R35 Pipe Seal for 6" Piping H600R Pipe Seal for 6" SDR Piping H600R35 Pipe Seal for 8" Piping H800R Pipe Seal for 8" SDR Piping H800R35
	Composite Hubs <i>Fiberglass composite bolt-on hubs.</i>	4" Fiberglass Hub for 4" Piping † H401FG 6" Fiberglass Hub for 6" Piping † H601FG 8" Fiberglass Hub for 8" Piping † H801FG
	Cast Iron Caulking Inlet Hubs <i>Industrial enameled bolt-on inlet cast iron hubs.</i>	Curved Back Cast Iron Hub for 2" Piping † H200C Curved Back Cast Iron Hub for 3" Piping † H300C Curved Back Cast Iron Hub for 4" Piping † H400C Curved Back Cast Iron Hub for 4" Piping on 18" Basins † H400C-18 6" Curved Back Cast Iron Hub for 6" Piping † H600C 8" Curved Back Cast Iron Hub for 8" Piping † H800C
	Fiberglass Sleeves	4" Fiberglass Sleeve † S400FG 6" Fiberglass Sleeve † S600FG 8" Fiberglass Sleeve † S800FG

* Call Topp for pricing: 800-354-4534

† Includes hardware pack (bolts, washers & gasket tape)


DESCRIPTION	PART No.*
FIBERGLASS BASIN AND COVER ACCESSORIES	



Aluminum Inlet Hubs

Specify the diameter of your basin.
(Other sizes available upon request)

Curved Aluminum Hub for 10" Piping †	H1000A
Curved Aluminum Hub for 12" Piping †	H1200A



Aluminum Bolt-on Sleeves

Specify the diameter of your basin.
(Other sizes available upon request)

2" Aluminum Sleeve †	SLV0200A
3" Aluminum Sleeve †	SLV0300A
4" Aluminum Sleeve †	SLV0400A
6" Aluminum Sleeve †	SLV0600A
8" Aluminum Sleeve †	SLV0800A
10" Aluminum Sleeve †	SLV1000A
12" Aluminum Sleeve †	SLV1200A



Link Seals

Link Seal LS-200-C	LS-200-C
Link Seal LS-300-C	LS-300-C
Link Seal LS-325-C	LS-325-C
Link Seal LS-340-C	LS-340-C
Link Seal LS-400-C	LS-400-C
Link Seal LS-410-C	LS-410-C
Link Seal LS-425-C	LS-425-C
Link Seal LS-475-C	LS-475-C
Link Seal LS-200-S316	LS-200-S316
Link Seal LS-300-S316	LS-300-S316
Link Seal LS-325-S316	LS-325-S316
Link Seal LS-340-S316	LS-340-S316
Link Seal LS-400-S316	LS-400-S316
Link Seal LS-410-S316	LS-410-S316
Link Seal LS-425-S316	LS-425-S316
Link Seal LS-475-S316	LS-475-S316

STANDARD DIAMETER SDR35 PVC PIPE				
NOMINAL PIPE SIZE	ACTUAL PIPE SIZE	SLEEVE	LINK SEAL MODEL No.	No. OF LINKS PER SEALS
4	4.220	6	LS-315-C	10
6	6.280	10	LS-410-C	10
8	8.400	12	LS-475-C	12
10	10.500	14	LS-475-C	10
12	12.500	16	LS-425-C	12

ALL DIMENSIONS IN INCHES

STANDARD DIAMETER DUCTILE IRON PIPE				
NOMINAL PIPE SIZE	ACTUAL PIPE SIZE	SLEEVE	LINK SEAL MODEL No.	No. OF LINKS PER SEALS
2	2.500	4	LS-300-C	6
2½	2.750	5	LS-325-C	4
3	3.960	6	LS-325-C	5
4	4.800	8	LS-400-C	5
6	6.900	10	LS-400-C	7
8	9.050	12	LS-400-C	9
10	11.100	14	LS-400-C	11
12	13.200	16	LS-400-C	12
14	15.300	18	LS-360-C	24
16	17.400	22	LS-400-C	16
18	19.500	24	LS-400-C	18
20	21.600	25	LS-400-C	20

ALL DIMENSIONS IN INCHES

† Includes hardware pack (bolts, washers & gasket tape)

STANDARD DIAMETER SCH40 STEEL PIPE				
NOMINAL PIPE SIZE	ACTUAL PIPE SIZE	SLEEVE	LINK SEAL MODEL No.	No. OF LINKS PER SEALS
½	.840	2	LS-200-C	4
¾	1.050	2	LS-200-C	4
1	1.315	2½	LS-200-C	5
1¼	1.660	4	LS-340-C	5
1½	1.900	3	LS-200-C	6
2	2.375	4	LS-300-C	6
2½	2.875	4	LS-200-C	9
3	3.500	6	LS-340-C	9
4	4.500	6	LS-300-C	10
5	5.563	8	LS-425-C	6
6	6.625	10	LS-400-C	7
8	8.625	12	LS-475-C	12
10	10.750	14	LS-425-C	10
12	12.750	16	LS-425-C	12
14	14.000	18	LS-400-C	13
16	16.000	20	LS-400-C	15
18	18.000	22	LS-400-C	17
20	20.000	24	LS-400-C	18

ALL DIMENSIONS IN INCHES

* Call Topp for pricing: 800-354-4534

DESCRIPTION		PART No.*
FIBERGLASS BASIN AND COVER ACCESSORIES		
 <p>Flexible Boot Fittings For straight or angled penetrations.</p>	Flexible Boot Fitting for 1" Piping	FB100
	Flexible Boot Fitting for 1¼" Piping	FB125
	Flexible Boot Fitting for 1½" Piping	FB150
	Flexible Boot Fitting for 2" Piping	FB200
	Flexible Boot Fitting for 3" Piping	FB300
	Flexible Boot Fitting for 4" Piping	FB400
	Flexible Boot Fitting for 6" Piping	FB600
 <p>Flexible Couplings Leak-proof seal for hubs and sleeves. Easy to apply in tight spaces. Other sizes available.</p>	Flexible Coupling for 4" x 2" Piping	1056-42
	Flexible Coupling for 6" x 4" Piping	1056-64
	Flexible Coupling for 8" x 6" Piping	1056-86
	Flexible Coupling for 10" x 8" Piping	1056-10-8
 <p>Plastic 2-Bolt Pipe Flange Corrosion resistant threaded vent and slip discharge flanges.</p>	Plastic 2-Bolt Slip Flange, w/O-ring for 1¼" Piping	PF125S
	Plastic 2-Bolt Slip Flange, w/O-ring for 1½" Piping	PF150S
	Blank Plastic Flange for 2" Hole	PF200B
	Plastic 2-Bolt Slip Flange, w/O-ring for 2" Piping	PF200S
	Plastic 2-Bolt Threaded Flange for 2" Piping	PF200T
	Plastic 2-Bolt Slip Flange, w/O-ring for 3" Piping	PF300S
	Plastic 2-Bolt Threaded Flange for 3" Piping	PF300T
 <p>Cast Iron 2-Bolt Pipe Flange Cast Iron threaded vent and slip discharge flanges.</p>	Cast Iron 2-Bolt Slip Flange, w/O-ring for 3" Piping	CF300S
	Cast Iron 2-Bolt Threaded Flange for 3" Piping	CF300T
	Cast Iron 2-Bolt Slip Flange, w/O-ring for 4" Piping	CF400S
	Cast Iron 2-Bolt Threaded Flange for 4" Piping	CF400T
 <p>"Ringer" Pipe Grommets For the quick, easy, and sure pipe seal.</p>	For 1¼" Piping (OD) Through 3" Hole	G125
	For 1½" Piping (OD) Through 3" Hole	G150
	For 2" Piping (OD) Through 3" Hole	G200
	For 3" Piping (OD) Through 4" Hole	G300
	For 4" Piping (OD) Through 5" Hole	G400
	For SDR35 4" Piping (OD) Through 5" Hole	G400SDR35
	Electric Cord Grommet, Seals up to 3 Cords (up to ¾" OD) Through a 2½" Hole	ECG
	Electric Cord Grommet Through a 2" Hole	ECG200
	Blank Snap Plug for 3" Hole (for steel covers only)	BSP300
 <p>Uniseals A positive, mechanical pipe-to-basin seal for flat or curved surfaces. The tapered inner diameter forces the outer diameter to expand and securely seal the penetrating pipe or tubing without adhesive hardware, or threads. It will seal a flat or curved surfaces even if the penetrating pipe is at an angle as great as 15 degrees. Uniseals are made from Alcryn® a tough, pliable thermoplastic developed by DuPont. It has excellent resistance to most chemical compounds, petroleum products, methanol, and most soil. (Alcryn® is trademark of E.I. DuPont Co., Inc.)</p>	Pipe Seal for ⅜" Piping Through 1" Hole	U038
	Pipe Seal for ½" Piping Through 1¼" Hole	U050
	Pipe Seal for ¾" Piping Through 1¼" Hole	U075
	Pipe Seal for 1" Piping Through 1¾" Hole	U100
	Pipe Seal for 1¼" Piping Through 2" Hole	U125
	Pipe Seal for 1½" Piping Through 2½" Hole	U150
	Pipe Seal for 2" Piping Through 3" Hole	U200
	Pipe Seal for 2" Piping Through 3" Hole	U200-35
	Pipe Seal for 1¼" Piping Through 3" Hole	U200-125
	Pipe Seal for 1½" Piping Through 3" Hole	U200-150
	Pipe Seal for 3" Piping Through 4" Hole	U300
	Pipe Seal for 2" Piping Through 4" Hole	U320
	Pipe Seal for Piping w/a 3.900" OD, Through 5" Hole	U390
	Pipe Seal for 4" Piping Through 5" Hole	U400
	Pipe Seal for 4" x SDR35 Piping Through 5" Hole	U400-35
	Pipe Seal for 3" Piping Through 5" Hole	U430
	Pipe Seal for Piping w/a 4.900" OD, through 5½" Hole	U490
	Pipe Seal for Piping w/a 5.900" OD, through 7" Hole	U590
	Pipe Seal for 6" Piping Through 7" Hole	U600
	Pipe Seal for 6" x SDR35 Piping Through 7" Hole	U600-35
Electric Cord Grommet, Seals up to 3 Cords Through a 2" Hole	UECG	

DESCRIPTION	PART No.*	
FIBERGLASS BASIN AND COVER ACCESSORIES		
 <p>Access Plates - 12 gauge Epoxy coated 12-gauge steel for easier pump installation and removal.</p>	16" Blank Pump Access Plate †	16BPA-12
	16" Pump Access Plate *	16PA-12
	18" Blank Pump Access Plate †	18BPA-12
	18" Pump Access Plate *	18PA-12
 <p>Access Plates - 1/4" Thick Epoxy coated 1/4" steel for easier pump installation and removal.</p>	16" Blank Pump Access Plate †	16BPA-25
	16" Pump Access Plate *	16PA-25
	18" Blank Pump Access Plate †	18BPA-25
	18" Pump Access Plate *	18PA-25
	22" Blank Pump Access Plate †	22BPA-25
	22" Pump Access Plate *	22PA-25
	28" Blank Pump Access Plate †	28BPA-25
28" Pump Access Plate *	28PA-25	
 <p>Inspection Plates - 12 gauge 10" diameter for an 8" clear access opening.</p>	10" Blank Inspection Plate †	IN00-12
	10" Inspection, w/One 1/2" Cord Grip †	IN01-12
	10" Inspection, w/Two 1/2" Cord Grips †	IN02-12
	10" Inspection, w/Three 1/2" Cord Grips †	IN03-12
	10" Inspection, w/Four 1/2" Cord Grips †	IN04-12
 <p>Inspection Plates - 1/4" Thick 10" diameter for an 8" clear access opening.</p>	10" Blank Inspection Plate †	IN00-25
	10" Inspection, w/One 1/2" Cord Grip †	IN01-25
	10" Inspection, w/Two 1/2" Cord Grips †	IN02-25
	10" Inspection, w/Three 1/2" Cord Grips †	IN03-25
	10" Inspection, w/Four 1/2" Cord Grips †	IN04-25
 <p>Electric Cord Grips Easily adjust your power cord without entering the basin.</p>	1/2" NPT, Seals Cords from 0.236" to 0.472" OD	GRIP050
	3/4" NPT, Seals Cords from 0.511" to 0.708" OD	GRIP075
	1" NPT, Seals Cords from 0.236" to 1.024" OD	GRIP100
 <p>Polyethylene Baffles For directing the path of influent and effluent in a basin.</p>	Inlet Baffle, 8" Wide x 4" Deep x 12" Long	PIB12
	Inlet Baffle, 8" Wide x 4" Deep x 18" Long	PIB18
	Inlet Baffle, 8" Wide x 4" Deep x 24" Long	PIB24
	Inlet Baffle, 8" Wide x 4" Deep x 36" Long	PIB36
	Inlet Baffle, 8" Wide x 4" Deep x 48" Long	PIB48
 <p>Fiberglass Basin Polyethylene Shipping Skid Reduce the shipping damage on fiberglass basins 96" or longer.</p>	Price Includes 2 Poly Skids for One Basin	POLYSKIDS
 <p>Cover Perforation Adder Perforate any 1/4" thick steel cover with 1/2" OD holes.</p>	10 Holes Randomly Placed	PER105
 <p>Gasket Material Replacement cover gasket material for gas-tight and water-tight seals.</p>	Foam Tape Seal - 1/8" x 3/4" x 6'	CGM06F
	Butyl Tape Seal - 3/8" x 15'	CGM15B
 <p>Bolts and Washers Replacement stainless steel hardware packs for Topp Industries covers.</p>	1/4" - 20 x 1 1/4" Bolts (6), 1/4" - 20 Washers (6)	HP1420
	5/16" - 18 x 1 1/4" Bolts (6), 5/16" - 18 Washers (6)	HP516
	3/8" - 16 x 1 1/4" Bolts (6), 3/8" - 16 Washers (6)	HP38

* Call Topp for pricing: 800-354-4534

† With Hardware and Sealing Material. * With (1) ECG Grommet, (1) Discharge Flange, Hardware and Sealing Material